

Commonwealth of Virginia
VIRGINIA DEPARTMENT OF ENVIRONMENTAL QUALITY

1111 E. Main Street, Suite 1400, Richmond, Virginia 23219

P.O. Box 1105, Richmond, Virginia 23218

(800) 592-5482

www.deq.virginia.gov

Travis A. Voyles

Michael S. Rolband, PE, PWDTransmitted electronically:

careed@odu.edu

Re: General Permit for Discharges of Stormwater from Small Municipal Separate Storm Sewer Systems General Permit Number VAR040078, Old Dominion University

Dear Mr. Reed:

Department staff has reviewed your Registration Statement and determined that the referenced Municipal Storm Sewer System (MS4) is hereby covered under the General Permit for Discharges of Stormwater from Small Municipal Separate Storm Sewer Systems. The effective date of your coverage under this general permit is November 1, 2023, or the date of this letter, whichever is later. You may obtain a copy of the general permit from <https://law.lis.virginia.gov/admincode/title9/agency25/chapter890/section40/>.

Please submit future permit correspondence and your annual MS4 program reports to David A. Taylor of the DEQ Tidewater Regional Office at david.a.taylor@deq.virginia.gov. The general permit will expire on

B. The permittee shall develop, implement, and enforce an MS4 program designed to reduce the discharge of pollutants from the MS4 to the MEP in accordance with this permit, to protect water quality, and to satisfy the appropriate water quality requirements of the State Water Control Law and its attendant regulations. The permittee shall utilize the legal authority provided by the laws and regulations of the Commonwealth of Virginia to control discharges to and from the MS4. This legal authority may be a combination of statute, ordinance, permit, policy, specific contract language, order, or interjurisdictional agreements. The MS4 program shall include the minimum control measures (MCM) described in Part I E. For the purposes of this permit term, implementation of MCMs in Part I E and the Chesapeake Bay and local TMDL requirements in Part II (as applicable) consistent with the provisions of an iterative MS4 program required pursuant to this general permit constitutes compliance with the standard of reducing pollutants to the MEP, provides adequate progress in meeting water quality standards, and satisfies the appropriate water quality requirements of the State Water Control Law and its attendant regulations.

C. The MS4 program plan.

1. The MS4 program plan shall include, at a minimum, the following written items:

a. The roles and responsibilities of each of the permittee's divisions and departments in the implementation of the requirements of the permit tasked with ensuring that the permit requirements are met;

b. If the permittee utilizes another entity to implement portions of the MS4 program, a copy of the written agreement. The description of each party's roles and responsibilities, including any written agreements with third parties, MS4 program, and permit conditions.

grants a later date; and

b. Provide to the department a copy of the MS4 program plan upon completion of development.

3. If the permittee was previously covered under the General VPDES Permit for Discharges of Stormwater from MS4 effective November 1, 2018, the permittee shall update the MS4 program plan to meet the requirements of this permit no later than six months after the effective date of this permit unless otherwise specified in another permit condition and shall post the most up-to-date version of MS4 program plan on the permittee's website or location where the MS4 program plan can be obtained as required by Part I E 2 within 30 days of updating the MS4 program plan. Until such time that the MS4 program plan is updated in accordance with Part I E, the permittee shall continue to implement the MS4 program plan in effect at the time that coverage is issued under this general permit.

4. Revisions to the MS4 program plan are expected throughout the life of this permit as part of the iterative process to reduce pollutant loading and protect water quality to the MEP. As such, revisions made in accordance with this permit as a result of the iterative process do not require modification of this permit. The permittee shall summarize revisions to the MS4 program plan as part of the annual report as described in Part I D 3.

5. The permittee may demonstrate compliance with one or more MCM in Part I E through implementation of separate statutory or regulatory programs provided that the permittee's MS4 program plan identifies and fully describes any program that will be used to satisfy one or more of the minimum control measures of Part I E. If the program that the permittee is using requires the approval of a third party, the program shall be fully approved by the third party, or the permittee shall be working toward getting full approval. Documentation of the program's approval status or the progress toward achieving full approval shall be included in the annual report required by Part I D. The permittee shall remain responsible for compliance with the permit requirements if the other entity fails to implement one or more components of the control measures.

6. The permittee may rely on another entity to satisfy the permit requirements to implement a minimum control measure if:

a. The other entity, in fact, implements the control measure;

b. The particular control measure, or component thereof, is at least as stringent as the corresponding permit requirement;

c. The other entity agrees to implement the control measure on behalf of the permittee; and

d. The agreement between the parties is documented in writing and retained by the permittee with the MS4 program plan for as long as the agreement is active.

The permittee shall remain responsible for compliance with requirements of the permit and shall document in the annual reports required in accordance with Part I D that another entity is being relied on to satisfy all or part of the state permit requirements. The permittee shall

provide the information required in Part I D.

7. If the permittee relies on another governmental entity regulated under 9VAC25-870-380 to satisfy all of the state permit obligations, including the obligation to file periodic reports required by Part I D, the permittee must note that fact in the registration statement, but is not required to file the periodic reports. The permittee remains responsible for compliance with the state permit requirements if the other entity fails to implement the control measures or components thereof.

D. Annual reporting requirements.

1. The permittee shall submit an annual report to the department no later than October 1 of each year in a method, (i.e., how the permittee must submit) and format (i.e., how the report shall be laid out) as specified by the department; the required content of the annual report is specified in Part I E and Part II B. The report shall cover the previous year from July 1 to June 30.

2. Following notification from the department of the start date for the required electronic submission of annual reports, as provided for in 9VAC25-31-1020, such forms and reports submitted after that date shall be electronically submitted to the department in compliance with this section and 9VAC25-31-1020. There shall be at least a three-month notice provided between the notification from the department and the date after which such forms and reports must be submitted electronically.

3. The annual report shall include the following general information:

- a. The permittee, system name, and permit number;
- b. The reporting period for which the annual report is being submitted;
- c. A signed certification as per Part IV K;
- d. Each annual reporting item as specified in an MCM in Part I E; and
- e. An evaluation of the MS4 program implementation, including a review of each MCM, to determine the MS4 program's effectiveness and whether or not changes to the MS4 program plan are necessary.

4. For permittees receiving initial coverage under this general VPDES permit for the discharge of stormwater, the annual report shall include a status update on each component of the MS4 program plan being developed. Once the MS4 program plan has been updated to include implementation of a specific MCM in Part I E, the permittee shall follow the reporting requirements established in Part I D 3.

5. For those permittees with requirements established under Part II B, the annual report shall include a status report on the implementation of the local TMDL action plans in accordance with Part II B including any revisions to the plan.

6. For the purposes of this permit, the MS4 program plan, annual reports, the Chesapeake Bay TMDL action plan, and Chesapeake Bay TMDL implementation annual status reports shall be

maintained as separate documents and submitted to the department as required by this permit as separate documents.

E. Minimum control measures.

1. Public education and outreach.

- a. The permittee shall implement a public education and outreach program designed to:
 - (1) Increase the public's knowledge of how to reduce stormwater pollution, placing priority on reducing impacts to impaired waters and other local water pollution concerns;
 - (2) Increase the public's knowledge of hazards associated with illegal discharges and improper disposal of waste, including pertinent legal implications; and
 - (3) Implement a diverse program with strategies that are targeted toward individuals or groups most likely to have significant stormwater impacts.
- b. The permittee shall identify no fewer than three high-priority stormwater issues to meet the goal of educating the public in accordance with Part I E 1 a. High-priority issues may include the following examples: Chesapeake Bay nutrients, pet wastes, local receiving water impairments, TMDLs, high-quality receiving waters, litter control, BMP maintenance, anti-icing and deicing agent application, planned green infrastructure redevelopment, planned ecosystem restoration projects, and illicit discharges from commercial sites.
- c. The high-priority public education and outreach program, as a whole, shall:
 - (1) Clearly identify the high-priority stormwater issues;
 - (2) Explain the importance of the high-priority stormwater issues;
 - (3) Include measures or actions the public can take to minimize the impact of the high-priority stormwater issues; and
 - (4) Provide a contact and telephone number, website, or location where the public can find out more information.
- d. The permittee shall use two or more of the strategies listed in Table 1 per year to communicate to the target audience the high-priority stormwater issues identified in accordance with Part I E 1 b, including how to reduce stormwater pollution.

Table 1 Strategies for Public Education and Outreach	
Strategies	Examples (provided as examples and are not meant to be all inclusive or limiting)
Traditional written materials	Informational brochures, newsletters, fact

	to schools to meet applicable education Standards of Learning or curriculum requirements, or watershed walks
Public meetings	Public meetings on proposed community stormwater management retrofits, green infrastructure redevelopment, ecosystem restoration projects, TMDL development, climate change's effects on stormwater management, voluntary residential low impact development, or other stormwater issues

e. The permittee may coordinate its public education and outreach efforts with other MS4 permittees; however, each permittee shall be individually responsible for meeting all of its state permit requirements.

f. The MS4 program plan shall include:

- (1) A list of the high-priority stormwater issues the permittee will communicate to the public as part of the public education and outreach program;
- (2) The rationale for selection of each high-priority stormwater issue and an explanation of how each education or outreach strategy is intended to have a positive impact on stormwater discharges;
- (3) Identification of the target audience to receive each high-priority stormwater message;
- (4) Nontraditional permittees may identify staff, students, members of the general public, and other users of facilities operated by the permittee as the target audience for education and outreach strategies;
- (5) Traditional permittees may identify staff and students as part of the target audience for education and outreach strategies; however, staff shall not be the majority of the target audience;
- (6) Staff training required in accordance with Part I E 6 d does not qualify as a strategy for public education and outreach;

(7) The strategies from Table 1 of Part I E 1 d to be used to communicate each high-priority stormwater message; and

(8) The anticipated time periods the messages will be communicated or made available to the public.

g. The annual report shall include the following information:

(1) A list of the high-priority stormwater issues the permittee addressed in the public education and outreach program;

(2) A summary of the public education and outreach activities conducted for the report year, including the strategies used to communicate the identified high-priority issues;

(3) A description of any changes in high-priority stormwater issues, including, strategies used to communicate high-priority stormwater issues or target audiences for the public education and outreach plan. The permittee shall provide a rationale for any of these changes; and

(4) A description of public education and outreach activities conducted that included education regarding climate change.

2. Public involvement and participation.

a. The permittee shall develop and implement procedures for the following:

(1) The public to report potential illicit discharges, improper disposal, or spills to the MS4, complaints regarding land disturbing activities, or other potential stormwater pollution concerns;

(2) The public to provide comments on the permittee's MS4 program plan;

(3) Responding to public comments received on the MS4 program plan; and

(4) Maintaining documentation of public comments received on the MS4 program and associated MS4 program plan and the permittee's response.

b. No later than three months after this permit's effective date, the existing permittee shall update and maintain the webpage dedicated to the MS4 program and stormwater pollution prevention. The following information shall be posted on this webpage:

(1) The effective MS4 permit and coverage letter;

(2) The most current MS4 program plan or location where the MS4 program plan can be obtained;

(3) The annual report for each year of the term covered by this permit no later than 30 days after submittal to the department;

(4) For permittees whose regulated MS4 is located partially or entirely in the Chesapeake Bay watershed, the most current Chesapeake Bay TMDL action plan or location where the Chesapeake Bay TMDL action plan can be obtained;

(5) For permittees whose regulated MS4 is located partially or entirely in the Chesapeake Bay watershed, the Chesapeake Bay TMDL implementation annual status reports for each

Public education activities	Booth at community fair, demonstration of stormwater control projects, climate change's effects on stormwater management, presentation of stormwater materials to schools to meet applicable education Standards of Learning or curriculum requirements, or watershed walks
Public meetings	Public meetings on proposed community stormwater management retrofits, green infrastructure redevelopment, ecosystem restoration projects, TMDL development, voluntary residential low impact development, climate change's effects on stormwater management, or other stormwater issues
Disposal or collection events	Household hazardous chemicals collection, vehicle fluids collection
Pollution prevention	Adopt-a-storm drain program, implement a storm drain marking

	<p>program, promote use of residential stormwater BMPs, implement pet waste stations in public areas, adopt-a-street program.</p>
--	---

e. The permittee may coordinate the public involvement opportunities listed in Table 2 with other MS4 permittees; however, each permittee shall be individually responsible for meeting all of the permit requirements.

f. The permittee may include staff and students in public participation events; however, the activity cannot solely include or be limited to staff participants with stormwater, groundskeeping, and maintenance duties in order for an event to qualify as a public participation event.

g. Staff training required in accordance with Part I E 6 d does not qualify as a public participation event unless the training activity solicits participation from target audiences beyond staff or contractors with stormwater, groundskeeping, and maintenance duties.

h. The MS4 program plan shall include:

(1) The webpage address where mechanisms for the public to report (i) potential illicit discharges, improper disposal, or spills to the MS4, (ii) complaints regarding land disturbing activities, or (iii) other potential stormwater pollution concerns;

(2) The webpage address that contains the methods for how the public can provide input on the permittee's MS4 program; and

(3) A description of the public involvement activities to be implemented by the permittee, the anticipated time period the activities will occur, and a metric for each activity to determine if the activity is beneficial to water quality. An example of metrics may include the weight of trash collected from a stream cleanup or the number of participants in a hazardous waste collection event.

i. The annual report shall include the following information:

(1) A summary of any public comments on the MS4 program received and how the permittee responded;

(2) A summary of stormwater pollution complaints received under the procedures established in Part I E 2 a (1), excluding natural flooding complaints, and how the permittee responded;

(3) A webpage address to the permittee's MS4 program and stormwater website;

(4) Federal and state nontraditional permittees with security policies preventing the MS4 program and stormwater pollution prevention webpage from being publicly accessible utilizing an internal staff accessible website, such as intranet, shall provide evidence of the

current internal MS4 program and stormwater pollution prevention webpage;

(5) A description of the public involvement activities implemented by the permittee, including any efforts to reach out and engage all economic and ethnic groups;

(6) A description of public education and outreach activities conducted that also included education regarding climate change;

(7) A report of the metric as defined for each activity and an evaluation as to whether or not the activity is beneficial to improving water quality; and

(8) The name of other MS4 permittees with whom the permittee collaborated in the public involvement opportunities.

3. Illicit discharge detection and elimination.

a. The permittee shall develop and maintain an accurate MS4 map and information table as follows:

(1) An updated map of the MS4 owned or operated by the permittee within the MS4 regulated service area no later than 24 months after the permit effective date that includes, at a minimum:

(a) MS4 outfalls discharging to surface waters, except as follows:

(i) In cases where the outfall is located outside of the MS4 permittee's legal responsibility, the permittee may elect to map the known point of discharge location closest to the actual outfall; and

(ii) In cases where the MS4 outfall discharges to receiving water channelized underground, the permittee may elect to map the point downstream at which the receiving water emerges above ground as an outfall discharge location. If there are multiple outfalls discharging to an underground channelized receiving water, the map shall identify that an outfall discharge location represents more than one outfall. This is an option a permittee may choose to use and recognizes the difficulties in accessing outfalls to underground channelized stream conveyances for purposes of mapping, screening, or monitoring;

(b) A unique identifier for each mapped item required in Part I E 3;

(c) The name and location of receiving waters to which the MS4 outfall or point of discharge discharges;

(d) MS4 regulated service area; and

(e) Stormwater management facilities owned or operated by the permittee.

(2) The permittee shall maintain an outfall information table associated with the MS4 map that includes the following information for each outfall or point of discharge for those cases in which the permittee elects to map the known point of discharge in accordance with Part I E 3 a (1) (a). The outfall information table may be maintained as a shapefile attribute table. The outfall information table shall contain the following:

- (a) A unique identifier as specified on the MS4 map;
- (b) The latitude and longitude of the outfall or point of discharge;
- (c) The estimated regulated acreage draining to the outfall or point of discharge;
- (d) The name of the receiving water;
- (e) The 6th Order Hydrologic Unit Code of the receiving water;
- (f) An indication as to whether the receiving water is listed as impaired in the Virginia 2022 305(b)/303(d) Water Quality Assessment Integrated Report; and
- (g) The name of any EPA approved TMDLs for which the permittee is assigned a wasteload allocation.

(3) No later than 24 months after permit issuance, the permittee shall submit to DEQ, a format file geodatabase or two shapefiles that contain at a minimum:

(a) A point feature class or shapefile for outfalls with an attribute table containing outfall data elements required in accordance with Part I E 3 a (2); and

(b) A polygon feature class or shapefile for the MS4 service area as required in accordance with Part I E 3 a (1) (d) with an attribute table containing the following information:

(i) MS4 operator name;

(ii) MS4 permit number (VAR04); and

(iii) MS4 service area total acreage rounded to the nearest hundredth.

(4) All file geodatabase feature classes or shapefiles shall be submitted in the following data format standards:

(a) Point data in NAD83 or WGS84 decimal degrees global positional system coordinates;

(b) Data projected in Virginia Lambert Conformal Conic format;

(c) Outfall location accuracy shall be represented in decimal degrees rounded to at least the fifth decimal place for latitude and longitude to ensure point location accuracy (e.g., 37.61741, -78.15279); and

(d) Metadata that shall provide a description of each feature class or shapefile dataset, units of measure as applicable, coordinate system, and projection.

(5) No later than October 1 of each year, the permittee shall update the MS4 map and outfall information table to include any new outfalls constructed or TMDLs approved or both during the immediate preceding reporting period.

(6) The permittee shall provide written notification to any downstream adjacent MS4 of any known physical interconnection established or discovered after the effective date of this permit.

b. The permittee shall prohibit, through ordinance, policy, standard operating procedures,

or other legal mechanism, to the extent allowable under federal, state, or local law, regulations, or ordinances, unauthorized nonstormwater discharges into the MS4.

(ii) Time since the last precipitation event;

(iii) The estimated quantity of the last precipitation event;

(iv) Site descriptions (e.g., conveyance type and dominant watershed land uses);

(v) Observed indicators of possible illicit discharge events, such as floatables, deposits, stains, and vegetative conditions (e.g., dying or dead vegetation, excessive vegetative growth);

other MS4s; and

(3) The IDDE procedures described in Part I E 3 c.

e. The annual report shall include:

(1) A confirmation statement that the MS4 map and outfall information table have been updated to reflect any changes to the MS4 occurring on or before June 30 of the reporting year;

(2) The total number of outfalls and observation points screened during the reporting period as part of the dry weather screening program; and

(3) A list of illicit discharges to the MS4, including spills reaching the MS4 with information as follows:

(a) The location and source of illicit discharge;

(b) The dates that the discharge was observed, reported, or both;

(c) Whether the discharge was discovered by the permittee during dry weather screening, reported by the public, or other method (describe);

(d) How the investigation was resolved;

(e) A description of any follow-up activities; and

(f) The date the investigation was closed.

4. Construction site stormwater runoff and erosion and sediment control.

a. The permittee shall utilize its legal authority, such as ordinances, permits, orders, specific contract language, and interjurisdictional agreements, to address discharges entering the MS4 from regulated construction site stormwater runoff. The permittee shall control construction site stormwater runoff as follows:

(1) If the traditional permittee is a city, county, or town that has adopted a Virginia Erosion and Sediment Control Program (VESCP), the permittee shall implement the VESCP consistent with the Virginia Erosion and Sediment Control Law (§ 62.1-44.15:51 et seq. of the Code of Virginia) and Virginia Erosion and Sediment Control Regulations (9VAC25-840);

(2) If the traditional permittee is a town that has not adopted a VESCP, implementation of a VESCP consistent with the Virginia Erosion and Sediment Control Law (§ 62.1-44.15:51 et seq. of the Code of Virginia) and Virginia Erosion and Sediment Control Regulations (9VAC25-840) by the surrounding county shall constitute compliance with Part I E 4 a; such town shall notify the surrounding county of erosion, sedimentation, or other construction stormwater runoff problems;

(3) If the nontraditional permittee is a state agency; public institution of higher education, including community colleges, colleges, and universities; or federal entity and has developed standards and specifications in accordance with the Virginia Erosion and

Sediment Control Law (§ 62.1-44.15:51 et seq. of the Code of Virginia) and Virginia Erosion and Sediment Control Regulations (9VAC25-840), the permittee shall implement the most recent department approved standards and specifications; or

(4) If the nontraditional permittee is a state agency; public institution of higher education, including community colleges, colleges, and universities; or federal entity and has not developed standards and specifications in accordance with the Virginia Erosion and Sediment Control Law (§ 62.1-44.15:51 et seq. of the Code of Virginia) and Virginia Erosion and Sediment Control Regulations (9VAC25-840), the permittee shall inspect all land disturbing activities as defined in § 62.1-44.15:51 of the Code of Virginia that result in the disturbance of 10,000 square feet or greater, or 2,500 square feet or greater in accordance with areas designated under the Chesapeake Bay Preservation Act, as follows:

(a) During or immediately following initial installation of erosion and sediment controls;

(b) At least once per every two-week period;

(c) Within 48 hours following any runoff producing storm event; and

(d) At the completion of the project prior to the release of any performance bond.

(5) If the nontraditional permittee is a school board or other local government body, the permittee shall inspect those projects resulting in a land disturbance as defined in § 62.1-44.15:51 of the Code of Virginia occurring on lands owned or operated by the permittee that result in the disturbance of 10,000 square feet or greater, 2,500 square feet or greater in accordance with areas designated under the Chesapeake Bay Preservation Act, or in accordance with more stringent thresholds established by the local government, as follows:

(a) During or immediately following initial installation of erosion and sediment controls;

(b) At least once per every two-week period;

(c) Within 48 hours following any runoff producing storm event; and

(d) At the completion of the project prior to the release of any performance bond.

b. The permittee shall require implementation of appropriate controls to prevent nonstormwater discharges to the MS4, such as wastewater, concrete washout, fuels and oils, and other illicit discharges identified during land disturbing activity inspections. The discharge of nonstormwater discharges other than those identified in 9VAC25-890-20D through the MS4 is not authorized by this state permit.

c. Employees and contractors serving as plan reviewers, inspectors, program administrators, and construction site operators shall obtain the appropriate certifications as required under the Virginia Erosion and Sediment Control Law and its attendant regulations;

d. The permittee's MS4 program plan shall include:

(1) If the permittee implements an erosion and sediment control program for construction site stormwater runoff in accordance with Part I E 4 a (1), the local ordinance citations for

stormwater runoff control requirements in Part I E 4.

e. The annual report shall include the following:

(1) Total number of erosion and sediment control inspections conducted;

(2) Total number of each type of compliance action and enforcement action implemented;
and

(3) For nontraditional permittees:

(a) A confirmation statement that land disturbing projects that occurred during the reporting period have been conducted in accordance with the current department approved annual standards and specifications for erosion and sediment control; and

(b) If any land disturbing projects were conducted without department approved annual standards and specifications, a list of all land disturbing projects that occurred during the reporting period with erosion and sediment control plan approval dates for each project.

5. Post-construction stormwater management for new development and development on prior developed lands.

a. The permittee shall address post-construction stormwater runoff that enters the MS4 from the following land disturbing activities by implementing a post-construction stormwater runoff management program as follows:

(1) If the traditional permittee is a city, county, or town, with an approved Virginia Stormwater Management Program (VSMP), the permittee shall implement the VSMP consistent with the Virginia Stormwater Management Act (§ 62.1-44.15:24 et seq. of the Code of Virginia) and VSMP Regulations (9VAC25-870) as well as maintain an inspection and maintenance program in accordance with Part I E 5 b and c;

(2) If the traditional permittee is a town that has not adopted a VSMP, implementation of a VSMP consistent with the Virginia Stormwater Management Act (§ 62.1-44.15:24 et seq. of the Code of Virginia) and VSMP Regulations (9VAC25-870) by the surrounding county shall constitute compliance with Part I E 5 a; such town shall notify the surrounding county of erosion, sedimentation, or other post-construction stormwater runoff problems and maintain an inspection and maintenance program in accordance with Part I E 5 c and d;

(3) If the traditional permittee is a city, county, or town receiving initial permit coverage

(9VAC25-870), the permittee shall implement the most recent department approved standards and specifications and maintain an inspection and maintenance program in accordance with Part I E 5 b;

(5) If the nontraditional permittee is a state agency; public institution of higher education, including community colleges, colleges, and universities; or federal entity, and has not developed standards and specifications in accordance with the Virginia Stormwater Management Act (§ 62.1-44.15:24 et seq. of the Code of Virginia) and VSMP Regulations (9VAC25-870), the permittee shall implement a post-construction stormwater runoff control program through compliance with 9VAC25-870 and with the implementation of a maintenance and inspection program consistent with Part I E 5 b no later than 60 months

facilities not owned by the permittee (i.e., privately owned) that includes:

(a) An inspection frequency of no less often than once per five years for all privately owned stormwater management facilities that discharge into the MS4; and

(b) Adequate long-term operation and maintenance by the owner of the stormwater management facility by requiring the owner to develop and record a maintenance agreement, including an inspection schedule to the extent allowable under state or local law or other legal mechanism;

(2) Utilize its legal authority for enforcement of the maintenance responsibilities in accordance with 9VAC25-870-112 if maintenance is neglected by the owner;

(3) The permittee may develop and implement a progressive compliance and enforcement strategy provided that the strategy is included in the MS4 program plan;

(4) The permittee may utilize the inspection reports provided by the owner of a stormwater management facility as part of an inspection and enforcement program in accordance with 9VAC25-870-114 C.

d. The MS4 program plan shall include:

(1) If the permittee implements a VSMP in accordance with Part I E 5 a (1), (2), or (3):

(a) A copy of the VSMP approval letter issued by the department;

(b) Written inspection procedures and all associated documents utilized in the inspection of privately owned stormwater management facilities; and

(c) Written procedures for compliance and enforcement of inspection and maintenance requirements for privately owned stormwater management facilities;

(2) If the permittee implements a post-development stormwater runoff control program in accordance with Part I E 5 a (4):

(a) The most recently approved standards and specifications or if incorporated by reference, the location where the standards and specifications can be viewed; and

(b) A copy of the most recent standards and specifications approval letter from the department;

(3) A description of the legal authorities utilized to ensure compliance with Part I E 5 a for post-construction stormwater runoff control such as ordinances (provide citation as appropriate), permits, orders, specific contract language, and interjurisdictional agreements;

(4) Written inspection and maintenance procedures and other associated template documents utilized during inspection and maintenance of stormwater management facilities owned or operated by the permittee; and

(5) The roles and responsibilities of each of the permittee's departments, divisions, or subdivisions in implementing the post-construction stormwater runoff control program.

e. The annual report shall include the following information:

(1) If the traditional permittee implements a VSMP in accordance with Part I E 5 a (1) , (2), or (3):

(a) The number of privately owned stormwater management facility inspections conducted; and

(b) The number of enforcement actions initiated by the permittee to ensure long-term maintenance of privately owned stormwater management facilities including the type of enforcement action;

(2) Total number of inspections conducted on stormwater management facilities owned or operated by the permittee;

(3) A description of the significant maintenance, repair, or retrofit activities performed on the stormwater management facilities owned or operated by the permittee to ensure it continues to perform as designed. This does not include routine activities such as grass mowing or trash collection;

(4) For traditional permittees as specified in Part I E 5 a (1), a confirmation statement that the permittee submitted stormwater management facility information through the Virginia Construction Stormwater General Permit database for those land disturbing activities for which the permittee was required to obtain coverage under the General VPDES Permit for Discharges of Stormwater from Construction Activities in accordance with Part III B 1 or a statement that the permittee did not complete any projects requiring coverage under the General VPDES Permit for Discharges of Stormwater from Construction Activities (9VAC25-880);

(5) A confirmation statement that the permittee electronically reported stormwater management facilities using the DEQ BMP Warehouse in accordance with Part III B 1 and 2; and

(6) A confirmation statement that the permittee electronically reported stormwater management facilities inspected using the DEQ BMP Warehouse in accordance with Part III B 5.

6. Pollution prevention and good housekeeping for facilities owned or operated by the permittee within the MS4 service area.

a. The permittee shall maintain and implement written good housekeeping procedures for those activities listed in Part I E 6 b at facilities owned or operated by the permittee designed to meet the following objectives:

(1) Prevent illicit discharges;

(2) Ensure permittee staff or contractors properly dispose of waste materials, including landscape wastes and prevent waste materials from entering the MS4;

(3) Prevent the discharge of wastewater or wash water not authorized in accordance with

9VAC25-890-20D 3 u, into the MS4 without authorization under a separate VPDES permit; and

(4) Minimize the pollutants in stormwater runoff.

b. The permittee shall develop and implement written good housekeeping procedures that meet the objectives established in Part I E 6 a for the following activities:

(1) Road, street, sidewalk, and parking lot maintenance and cleaning:

(a) Within 24 months of permit issuance, permittees that apply anti-icing and deicing agents shall update and implement procedures in accordance with Part I E to include implementation of best management practices for anti-icing and deicing agent application, transport, and storage;

(b) Procedures developed in accordance with Part I E shall prohibit the application of any anti-icing or deicing agent containing urea or other forms of nitrogen or phosphorus;

(2) Renovation and significant exterior maintenance activities (e.g., painting, roof resealing, and HVAC coil cleaning) not covered under a separate VSMP construction general permit. The permittee shall develop and implement procedures no later than 36 months after permit issuance;

(3) Discharging water pumped from construction and maintenance activities not covered by another permit covering such activities;

(4) Temporary storage of landscaping materials;

(5) Maintenance of permittee owned or operated vehicles and equipment (i.e., prevent pollutant discharges from leaking permittee vehicles and equipment);

(6) Application of materials, including pesticides and herbicides shall not exceed manufacturer's recommendations; and

(7) Application of fertilizer shall not exceed maximum application rates established by applicable nutrient management plans. For areas not covered under nutrient management plans where fertilizer is applied, application rates shall not exceed manufacturer's recommendations.

c. The permittee shall require through the use of contract language, training, written procedures, or other measures within the permittee's legal authority that contractors employed by the permittee and engaging in activities described in Part I E 6 b follow established good housekeeping procedures and use appropriate control measures to minimize the discharge of pollutants to the MS4.

d. The written procedures established in accordance with Part I E 6 a and b shall be utilized as part of the employee training program, and the permittee shall develop a written training plan for applicable field personnel that ensures the following:

(1) Applicable field personnel shall receive training in the prevention, recognition, and elimination of illicit discharges no less often than once per 24 months;

coverage, and which any of the following materials or activities occur and are expected to have exposure to stormwater resulting from rain, snow, snowmelt, or runoff:

- (1) Areas where residuals from using, storing, or cleaning machinery or equipment remain and are exposed to stormwater;
- (2) Materials or residuals on the ground or in stormwater inlets from spills or leaks;
- (3) Material handling equipment;
- (4) Materials or products that would be expected to be mobilized in stormwater runoff during loading or unloading or transporting activities (e.g., rock, salt, fill dirt);
- (5) Materials or products stored outdoors (except final products intended for outside use where exposure to stormwater does not result in the discharge of pollutants);
- (6) Materials or products that would be expected to be mobilized in stormwater runoff contained in open, deteriorated, or leaking storage drums, barrels, tanks, and similar containers;
- (7) Waste material except waste in covered, nonleaking containers (e.g., dumpsters);
- (8) Application or disposal of process wastewater (unless otherwise permitted); or
- (9) Particulate matter or visible deposits of residuals from roof stacks, vents, or both not otherwise regulated (i.e., under an air quality control permit) and evident in the stormwater runoff.

j. Each SWPPP as required in Part I E 6 g shall include the following:

- (1) A site description that includes a site map identifying all outfalls, direction of stormwater flows, existing source controls, and receiving water bodies;
- (2) A description and checklist of the potential pollutants and pollutant sources;
- (3) A description of all potential nonstormwater discharges;
- (4) A description of all structural control measures, such as stormwater management facilities and other pollutant source controls, applicable to SWPPP implementation (e.g., permeable pavement or oil-water separators that discharge to sanitary sewer are not applicable to the SWPPP), such as oil-water separators, and inlet protection designed to address potential pollutants and pollutant sources at risk of being

requirements for site specific source controls. The date of each inspection and associated findings and follow-up shall be logged in each SWPPP;

(9) A log of each unauthorized discharge, release, or spill incident reported in accordance with Part IV G including the following information:

(a) Date of incident;

(b) Material discharged, released, or spilled; and

(c) Estimated quantity discharged, released, or spilled;

(10) A log of modifications to the SWPPP made as the result of any unauthorized discharge, release, or spill in accordance Part I E 6 j or changes in facility activities and operation requiring SWPPP modification; and

(11) The point of contact for SWPPP implementation.

k. No later than June 30 of each year, the permittee shall annually review any high-priority facility owned or operated by the permittee for which an SWPPP has not been developed to determine if the facility meets any of the conditions described in Part I E 6 g. If the facility is determined to need an SWPPP, the permittee shall develop an SWPPP meeting the requirements of Part I E 6 h no later than December 31 of that same year. The permittee shall maintain a list of all high-priority facilities owned or operated by the permittee not required to maintain an SWPPP in accordance with Part I E 6 g and this list shall be available upon request.

l. The permittee shall review the contents of any site specific SWPPP no later than 30 days after any unauthorized discharge, release, or spill reported in accordance with Part IV G to determine if additional measures are necessary to prevent future unauthorized discharges, releases, or spills. If necessary, the SWPPP shall be updated no later than 90 days after the unauthorized discharge.

m. The SWPPP shall be kept at the high-priority facility and utilized as part of employee SWPPP training required in Part I E 6 d (4). The SWPPP and associated documents may be maintained as a hard copy or electronically as long as the documents are available to employees at the applicable site.

n. If activities change at a facility such that the facility no longer meets the definition of a high-priority facility, the permittee may remove the facility from the list of high-priority facilities with a high potential to discharge pollutants.

o. If activities change at a facility such that the facility no longer meets the criteria requiring SWPPP coverage as described in Part I E 6 g, the permittee may remove the facility from the list of high-priority facilities that require SWPPP coverage.

p. The permittee shall maintain and implement turf and landscape nutrient management plans that have been developed by a certified turf and landscape nutrient management planner in accordance with § 10.1-104.2 of the Code of Virginia on all lands owned or operated by the permittee where nutrients are applied to a contiguous area greater than

one acre. If nutrients are being applied to achieve final stabilization of a land disturbance project, application shall follow the manufacturer's recommendations.

q. Within 12 months of permit coverage, the permittee shall identify contiguous areas greater than one acre located in expanded 2020 census urban areas with population of at least 50,000 and within the permittee's MS4 service area requiring turf and landscape nutrient management plans.

r. Within 36 months of permit coverage, the permittee shall implement turf and landscape nutrient management plans on contiguous areas greater than one acre located in expanded 2020 census urban areas with a population of least 50,000 and within the permittee's MS4 service area.

s. If nutrients are being applied to achieve final stabilization of a land disturbance project, application shall follow the manufacturer's recommendations. For newly established turf where nutrients are applied to a contiguous area greater than one acre, the permittee shall implement a nutrient management plan no later than six months after the site achieves final stabilization.

t. Nutrient management plans developed in accordance with Part I E 6 n shall be submitted to the Department of Conservation and Recreation (DCR) for approval.

u. Nutrient management plans that are expired as of the effective date of this permit shall be submitted to DCR for renewal within six months after the effective date of this permit. Thereafter, all nutrient management plans shall be submitted to DCR at least 30 days prior to nutrient management plan expiration. Within 36 months of permit coverage, no nutrient management plans maintained by the permittee in accordance with Part I E 6 n shall be expired due to DCR documented noncompliance with 4VAC50-85-130 provided to the permittee.

v. Nutrient management plans may be maintained as a hard copy or electronically as long as the documents are available to employees at the applicable site.

w. Nontraditional permittees with lands regulated under § 10.1-104.4 of the Code of Virginia, including state agencies, state colleges and universities, and other state government entities, shall continue to implement turf and landscape nutrient management plans in accordance with this statutory requirement.

x. The MS4 program plan shall include:

(1) A list of written good housekeeping procedures for the operations and maintenance activities as required by Part I E 6 a and b;

(2) A list of all high-priority facilities owned or operated by the permittee required to maintain an SWPPP in accordance with Part I E 6 g that includes the facility name, facility location, and the location of the SWPPP hardcopy or electronic document being maintained. The SWPPP for each high-priority facility shall be incorporated by reference;

(3) A list of locations for which turf and landscape nutrient management plans are required

in accordance with Part I E 6 n and s, including the following information:

- (a) The total acreage covered by each nutrient management plan;
- (b) The DCR approval date and expiration date for each nutrient management plan;
- (c) The location of the nutrient management plan hardcopy or electronic document being maintained;
- (4) A summary of mechanisms the permittee uses to ensure contractors working on behalf of the permittees implement the necessary good housekeeping and pollution prevention procedures, and stormwater pollution plans as appropriate; and
- (5) The written training plan as required in Part I E 6 d.

y. The annual report shall include the following:

- (1) A summary of any written procedures developed or modified in accordance with Part I E 6 a and b during the reporting period;
- (2) A confirmation statement that all high-priority facilities were reviewed to determine if SWPPP coverage is needed during the reporting period;
- (3) A list of any new SWPPPs developed in accordance Part I E 6 i during the reporting period;
- (4) A summary of any SWPPPs modified in accordance with Part I E 6 j, 6 l, or 6 m;
- (5) The rationale of any high-priority facilities delisted in accordance with Part I E 6 l or m during the reporting period;
- (6) The status of each nutrient management plan as of June 30 of the reporting year (e.g., approved, submitted and pending approval, and expired);
- (7) A list of the training activities conducted in accordance with Part I E 6 d, including the following information:
 - (a) The completion date for the training activity;
 - (b) The number of employees who completed the training activity; and
 - (c) The objectives and good housekeeping procedures covered by the training activity.

Part II

TMDL Special Conditions

A. Chesapeake Bay TMDL special condition.

1. The Commonwealth in its Phase I , Phase II, and Phase III Chesapeake Bay TMDL Watershed Implementation Plans (WIPs) committed to a phased approach for MS4s, affording MS4 permittees up to three full five-year permit cycles to implement necessary reductions. This permit is consistent with the Chesapeake Bay TMDL and the Virginia Phase I , Phase II , and Phase III WIPs to meet the Level 2 (L2) scoping run for existing developed lands as it

			within the 2010 CUA (acres) ²				
Nitrogen	Regulate d urban impervio us	9.39			9%		
	Regulate d urban pervious	6.99			6%		
Phosphor us	Regulate d urban impervio us	1.76			16%		
	Regulate d urban pervious	0.5			7.25%		

1

			the 2010 CUA (acres) ²				
Nitrogen	Regulate d urban impervio us	16.86			9%		
	Regulate d urban pervious	10.07			6%		
Phosphor us	Regulate d Urban Impervio us	1.62			16%		
	Regulate d urban pervious	0.41			7.25%		

¹Edge of stream loading rate based on the Chesapeake Bay Watershed Model Progress Run 5.3.2

²To determine the existing developed acres required in Column B, permittees should first determine the extent of their regulated service area based on the 2010 Census urbanized area (CUA). Next, permittees will need to delineate the lands within the 2010 CUA served by the MS4 as pervious or impervious as of the baseline date of June 30, 2009.

³Column C = Column A x Column B.

⁴Column E = Column C x Column D .

⁵Column F = The sum of the subsorce cumulative reduction required by 10/31/2028 (lbs/yr) as calculated in Column E.

Table 3c

Calculation Sheet for Estimating Existing Source Loads and Reduction Requirements for the Rappahannock River Basin

		A	B	C	D	E	F
Pollutant	Subsour ce	Loadin g rate (lbs/ac/ yr) ¹	Existin g develop ed lands as of 6/30/09				

			the 2010 CUA (acres) ²				
Nitrogen	Regulate d urban impervio us	7.31			9%		
	Regulate d urban pervious	7.65			6%		
Phosphor us	Regulate d urban impervio us	1.51			16%		
	Regulate d urban pervious	0.51			7.25%		

¹Edge of stream loading rate based on the Chesapeake Bay Watershed Model Progress Run 5.3.2.

²To determine the existing developed acres required in Column B, permittees should first determine the extent of their regulated service area based on the 2010 Census urbanized area (CUA). Next, permittees will need to delineate the lands within the 2010 CUA served by the MS4 as pervious or impervious as of the baseline date of June 30, 2009.

³Column C = Column A x Column B.

⁴Column E = Column C x Column D .

⁵Column F = The sum of the subsurface cumulative reduction required by 10/31/2028 (lbs/yr) as calculated in Column E.

4. No later than October 31, 2028, the permittee shall offset 100% of the increased loads from new sources initiating construction between July 1, 2009, and October 31, 2023, and designed in accordance with 9VAC25-870 Part II C (9VAC25-870-93 et seq.) if the following conditions apply:

- a. The activity disturbed one acre or greater; and
- b. The resulting total phosphorous load was greater than 0.45 lb/acre/year, which is equivalent to an average land cover condition of 16% impervious cover.

The permittee shall utilize Table 4 of Part II A 5 to develop the equivalent pollutant load for new sources of nitrogen meeting the requirements of this condition.

5. No later than October 31, 2028, the permittee shall offset the increased loads from projects grandfathered in accordance with 9VAC25-870-48 that begin construction after July 1, 2014, if the following conditions apply:

- a. The activity disturbs one acre or greater; and
- b. The resulting total phosphorous load was greater than 0.45 lb/acre/year, which is equivalent to an average land cover condition of 16% impervious cover.

The permittee shall utilize Table 4 to develop the equivalent pollutant load for grandfathered sources of nitrogen meeting the requirements of this condition.

Table 4 Ratio of Phosphorus Loading Rate to Nitrogen Loading Rates for Chesapeake Bay Basins		
Ratio of Phosphorus to Other POCs (Based on All Land Uses 2009 Progress Run)	Phosphorus Loading Rate (lbs/acre)	Nitrogen Loading Rate (lbs/acre)
James River Basin, Lynnhaven, and Little Creek Basins	1.0	5.2
Potomac River Basin	1.0	6.9
Rappahannock River Basin	1.0	6.7
York River Basin (including Poquoson Coastal Basin)	1.0	9.5

6. Reductions achieved in accordance with the General VPDES Permit for Discharges of Stormwater from Small Municipal Separate Storm Sewer Systems effective July 1, 2013, and November 1, 2018, shall be applied toward the total reduction requirements to demonstrate compliance with Part II A 3, A 4, and A 5.

7. 40% of L2 reductions for total nitrogen and total phosphorus shall be maintained by the permittee during the permit term.

8. Reductions shall be achieved in each river basin as calculated in Part II A 3 or for reductions in accordance with Part II A 4 and A 5 in the basin in which the new source or grandfathered

project occurred.

9. Loading and reduction values greater than or equal to 10 pounds calculated in accordance with Part II A 3, A 4, and A 5 shall be calculated and reported to the nearest pound without regard to mathematical rules of precision. Loading and reduction values of less than 10 pounds reported in accordance with Part II A 3, A 4, and A 5 shall be calculated and reported to two significant digits.

10. Reductions required in Part II A 3, A 4, and A 5 shall be achieved through one or more of the following:

- a. BMPs approved by the Chesapeake Bay Program;
- b. BMPs approved by the department; or
- c. A trading program described in Part II A 11.

11. The permittee may acquire and use total nitrogen and total phosphorus credits in accordance with § 62.1-44.19:21 of the Code of Virginia for purposes of compliance with the required reductions in Table 3a, Table 3b, Table 3c, and Table 3d of Part II A 3; Part II A 4; and Part II A 5, provided the use of credits has been approved by the department. The exchange of credits is subject to the following requirements:

- a. The credits are generated and applied to a compliance obligation in the same calendar year;
- b. The credits are generated and applied to a compliance obligation in the same tributary;
- c. The credits are acquired no later than June 1 immediately following the calendar year in which the credits are applied;
- d. No later than June 1 immediately following the calendar year in which the credits are applied, the permittee certifies on an MS4 Nutrient Credit Acquisition Form that the permittee has acquired the credits; and
- e. Total nitrogen and total phosphorus credits shall be either point source credits generated by point sources covered by the Watershed Permit for Total Nitrogen and Total Phosphorus Discharges and Nutrient Trading in the Chesapeake Bay Watershed general permit issued pursuant to § 62.1-44.19:14 of the Code of Virginia or nonpoint source credits certified pursuant to § 62.1-44.19:20 of the Code of Virginia.

12. Chesapeake Bay TMDL action plan requirements.

- a. Permittees applying for initial coverage under this general permit shall submit a draft first phase Chesapeake Bay TMDL action plan to the department no later than October 31,

(a) Type of BMP;

(b) Project name;

(c) Location;

(d) Percent removal efficiency for each pollutant of concern;

(e) Calculation of the reduction expected to be achieved by the BMP calculated and reported in accordance with the methodologies established in Part II A 9 for each pollutant of concern; and

(f) A preliminary schedule for implementation of the BMPs included in the Chesapeake Bay TMDL action plan.

(6) A summary of any comments received as a result of public participation required in Part II A 13, the permittee's response, identification of any public meetings to address public concerns, and any revisions made to Chesapeake Bay TMDL action plan as a result of public participation.

- (a) The number of BMPs for each BMP type;
 - (b) The estimated reduction of pollutants of concern achieved by each BMP type and reported in pounds of pollutant reduction per year; and
 - (c) A confirmation statement that the permittee electronically reported Chesapeake Bay TMDL action plan BMPs inspected using the DEQ BMP Warehouse in accordance with Part III B 5.
- (2) A list of newly implemented BMPs including annual practices implemented during the reporting period that includes the following information for each reported BMP or a statement that no BMPs were implemented during the reporting period:
- (a) The BMP type and a description of the location for each BMP;
 - (b) The estimated reduction of pollutants of concern achieved by each BMP and reported in pounds of pollutant reduction per year; and
 - (c) A confirmation statement that the permittee electronically reported BMPs using the DEQ BMP Warehouse in accordance with Part III B 3.
- e. If the permittee acquired credits during the reporting period to meet all or a portion of the required reductions in Part II A 3, A 4, or A 5, a statement that credits were acquired.
 - f. Pollutant load reductions generated by annual practices, such as street and storm drain cleaning, shall only be applied to the compliance year in which the annual practice was implemented.
 - g. The progress, using the final design efficiency of the BMPs, toward meeting the required cumulative reductions for total nitrogen and total phosphorus.
 - h. Any revisions made to the Chesapeake Bay TMDL action plan.
 - i. A list of BMPs that are planned to be implemented during the next reporting period.

15. Within 60 months after permit issuance, the permittee shall update the Phase III Chesapeake Bay TMDL action plan to offset the increased loads from new sources initiating construction between July 1, 2009, and October 31, 2023, that are located in the expanded 2020 census urban areas with a population of at least 50,000, and within the permittee's MS4 service area, and designed in accordance with 9VAC25-870 Part II C (9VAC25-870-93 et seq.), if the following conditions apply:

- a. The activity disturbed one acre or greater; and
- b. The resulting total phosphorous load was greater than 0.45 pounds per acre per year, which is equivalent to an average land cover condition of 16% impervious cover.

The permittee shall utilize Table 4 of Part II A 5 to develop the equivalent nitrogen pollutant load for new sources meeting the requirements of this condition.

16. Within 60 months after permit issuance, the permittee shall update the Phase III Chesapeake Bay TMDL action plan to offset the increased loads from projects grandfathered in

accordance with 9VAC25-870-48 that are located in the expanded 2020 census urban areas with a population of least 50,000, and within the permittee's MS4 service area, and began construction after July 1, 2014, if the following conditions apply:

- a. The activity disturbs one acre or greater; and
- b. The resulting total phosphorous load was greater than 0.45 pounds per acre per year, which is equivalent to an average land cover condition of 16% impervious cover.

The permittee shall utilize Table 4 of Part II A 6 to develop the equivalent nitrogen pollutant load for grandfathered sources meeting the requirements of this condition.

B. Local TMDL special condition.

1. Permittees applying for initial coverage under this general permit shall develop a local TMDL action plan designed to reduce loadings for pollutants of concern if the permittee discharges the pollutants of concern to an impaired water for which a TMDL has been approved by the U.S. Environmental Protection Agency (EPA) prior to October 31, 2023, and in which an individual or aggregate wasteload has been allocated to the permittee. The permittee shall develop action plans to meet the conditions of Part II B 4, B 5, B 6, B 7, and B 8 as applicable. Each local TMDL action plan shall be provided to the department no later than October 31, 2028, unless the department grants a later date.

2. Permittees previously covered under the General VPDES Permit for Discharges of Stormwater from MS4 effective November 1, 2018, shall develop and maintain a local TMDL action plan designed to reduce loadings for pollutants of concern if the permittee discharges the pollutants of concern to an impaired water for which a TMDL has been approved by the U.S. Environmental Protection Agency (EPA) as described in Part II B 2 a and 2 b:

a. For TMDLs approved by EPA prior to July 1, 2018, and in which an individual or aggregate wasteload has been allocated to the permittee, the permittee shall develop and initiate or update as applicable the local TMDL action plans to meet the conditions of Part II B 4, B 6, B 7, and B 8, as applicable, no later than 18 months after the permit effective date and continue implementation of the action plan. Updated action plans shall include:

(1) An evaluation of the results achieved by the previous action plan; and

(2) Any adaptive management strategies incorporated into updated action plans based on action plan evaluation.

b. For TMDLs approved by EPA on or after July 1, 2018, and prior to October 31, 2023, and in which an individual or aggregate

the implementation of BMPs designed to reduce pollutant discharges in a manner that is consistent with the assumptions and requirements of the applicable TMDL.

4. Each local TMDL action plan developed by the permittee shall include the following:

- a. The TMDL project name;
- b. The EPA approval date of the TMDL;
- c. The wasteload allocated to the permittee (individually or in aggregate), and the corresponding percent reduction, if applicable;
- d. Identification of the significant sources of the pollutants of concern discharging to the permittee's MS4 that are not covered under a separate VPDES permit. For the purposes of this requirement, a significant source of pollutants of concern means a discharge where the expected pollutant loading is greater than the average pollutant loading for the land use identified in the TMDL;
- e. The BMPs designed to reduce the pollutants of concern in accordance with Part II B 5, B 6, B 7, and B 8;
- f. Any calculations required in accordance with Part II B 5, B 6, B 7, or B 8;
- g. For action plans developed in accordance with Part II B 5, B 6, and B 8, an outreach strategy to enhance the public's education (including employees) on methods to eliminate and reduce discharges of the pollutants; and
- h. A schedule of anticipated actions planned for implementation during this permit term.

5. Bacterial TMDLs.

- a. Traditional permittees shall select and implement at least three of the strategies listed in Table 5 designed to reduce the load of bacteria to the MS4. Selection of the strategies shall correspond to sources identified in Part II B 4 d.
- b. Nontraditional permittees shall select at least one strategy listed in Table 5 designed to reduce the load of bacteria to the MS4 relevant to sources of bacteria applicable within the MS4 regulated service area. Selection of the strategies shall correspond to sources identified in Part II B 4 d.

Table 5 Strategies for Bacteria Reduction Stormwater Control/Management Strategy	
Source	Strategies (provided as an example and not meant to be all inclusive or limiting)

Domestic pets (dogs and cats)	<p>Provide signage to pick up dog waste, providing pet waste bags and disposal containers.</p> <p>Adopt and enforce pet waste ordinances or policies, or leash laws or policies.</p> <p>Place dog parks away from environmentally sensitive areas.</p> <p>Maintain dog parks by removing disposed of pet waste bags and cleaning up other sources of bacteria.</p> <p>Protect riparian buffers and provide unmanicured vegetative buffers along streams to dissuade stream access.</p>
Urban wildlife	<p>Educate the public on how to reduce food sources accessible to urban wildlife (e.g., manage restaurant dumpsters and grease traps, residential garbage, feed</p>

	<p>pets indoors).</p> <p>Install storm drain inlet or outlet controls.</p> <p>Clean out storm drains to remove waste from wildlife.</p> <p>Implement and enforce urban trash management practices.</p> <p>Implement rooftop disconnection programs or site designs that minimize connections to reduce bacteria from rooftops.</p> <p>Implement a program for removing animal carcasses from roadways and properly disposing of the same (either through proper storage or through transport to a licensed facility).</p>
<p>Illicit connections or illicit discharges to the MS4</p>	<p>Implement an enhanced dry weather screening and illicit discharge, detection, and elimination program</p>

	beyond the requirements of Part I E 3 to identify and remove illicit connections

	<p>from storm sewers related to lawn and park irrigation practices, car washing, powerwashing and other nonstormwater flows.</p> <p>Provide irrigation controller rebates.</p> <p>Implement and enforce ordinances or policies related to outdoor water waste.</p> <p>Inspect commercial trash areas, grease traps, washdown practices, and enforce corresponding ordinances or policies.</p>
<p>Birds (Canadian geese, gulls, pigeons, etc.)</p>	<p>Identify areas with high bird populations and evaluate deterrents, population controls, habitat modifications and other measures that may reduce bird-associated bacteria loading.</p> <p>Prohibit feeding of birds.</p>

6. Local sediment, phosphorus, and nitrogen TMDLs.

a. The permittee shall reduce the loads associated with sediment, phosphorus, or nitrogen through implementation of one or more of the following:

(1) One or more of the BMPs from the Virginia Stormwater BMP Clearinghouse listed in 9VAC25-870-65 or other approved BMPs found on the Virginia Stormwater BMP Clearinghouse website www.vdmw.com/water/BMP

(3) Land disturbance thresholds lower than Virginia's regulatory requirements for erosion and sediment control and post development stormwater management.

b. The permittee may meet the local TMDL requirements for sediment, phosphorus, or nitrogen through BMPs implemented or sediment, phosphorus, or nitrogen credits acquired. BMPs implemented and nutrient and sediment credits acquired to meet the requirements of the Chesapeake Bay TMDL in Part II A may also be utilized to meet local TMDL requirements as long as the BMPs are implemented or the credits are generated in the watershed for which local water quality is impaired.

c. The permittee shall calculate the anticipated load reduction achieved from each BMP and include the calculations in the action plan required in Part II B 4 f.

d. No later than 36 months after the effective date of this permit, the permittee shall submit to the department an update on the progress made toward achieving local TMDL action plan goals and the anticipated end dates by which the permittee will meet each wasteload allocation for sediment, phosphorus, or nitrogen. The proposed end date may be developed in accordance with Part II B 3.

7. Polychlorinated biphenyl (PCB) TMDLs.

a. For each PCB TMDL action plan, the permittee shall include an inventory of potentially significant sources of PCBs owned or operated by the permittee that drains to the MS4 that includes the following information:

(1) Location of the potential source;

(2) Whether or not the potential source is from current site activities or activities previously conducted at the site that have been terminated (i.e., legacy activities); and

(3) A description of any measures being implemented or to be implemented to prevent exposure to stormwater and the discharge of PCBs from the site.

b. If at any time during the term of this permit, the permittee discovers a previously unidentified significant source of PCBs within the permittee's MS4 regulated service area, the permittee shall notify DEQ in writing within 30 days of discovery.

c. As part of its annual reporting requirements, the permittee shall submit results of any action plan PCB monitoring or product testing conducted and any adaptive management strategies that have been incorporated into the updated action plan based upon monitoring or product testing results if the permittee has elected to perform monitoring or product testing or both.

8. Chloride TMDLs.

a. No later than 36 months after the permit effective date, permittees shall develop an anti-icing and deicing agent education and outreach strategy that identifies target audiences for increasing awareness of anti-icing and deicing agent application impacts on receiving waters and encourages implementation of enhanced BMPs for application, handling, and storage of anti-icing and de-icing agents used for snow and ice management.

b. Anti-icing and deicing agent education and outreach strategies shall contain a schedule to implement two or more of the strategies listed in Part I E 1 d Table 1 per year to communicate to target audiences the importance of responsible anti-icing and deicing agent application, transport, and storage.

c. No later than 36 months after permit issuance, the permittee shall review good housekeeping procedures for anti-icing and deicing agent application, handling, storage, and transport activities required under Part I E 6 b (1) (a) and identify a minimum of two strategies for implementing enhanced BMPs that promote efficient management and application of anti-icing and deicing agents while maintaining public safety.

9. Prior to submittal of the action plan required in Part II B 2, the permittee shall provide an opportunity for public comment for no fewer than 15 days on the proposal to meet the local TMDL action plan requirements .

10. The MS4 program plan as required by Part I B of this permit shall incorporate each local TMDL action plan. Local TMDL action plans may be incorporated by reference into the MS4 program plan provided that the program plan includes the date of the most recent local TMDL action plan and identification of the location where a copy of the local TMDL action plan may be obtained.

11. For each reporting period, each annual report shall include a summary of actions conducted to implement each local TMDL action plan.

C. Inspection and maintenance of ecosystem restoration projects used for TMDL compliance.

1. Within 36 months of permit issuance the permittee shall develop and maintain written inspection and maintenance procedures in order to ensure adequate long-term operation and maintenance of ecosystem restoration projects as defined in 9VAC25-890-1 and implemented as part of a TMDL action plan developed in accordance with Part II A, B, or both. The permittee may utilize inspection and maintenance protocols developed by the Chesapeake Bay Program or inspection and maintenance plans developed in accordance with the department's Stormwater Local Assistance Fund (SLAF) guidelines.

2. The permittee shall inspect ecosystem restoration projects owned or operated by the permittee and implemented as part of a current TMDL action plan developed in accordance with Part II A or B no less than once every 60 months.

Part III

DEQ BMP Warehouse Reporting

A. For the purpose of Part III of this permit, "best management practice" or "BMP" means a practice that achieves quantifiable nitrogen, phosphorus, or total suspended solids reductions, including stormwater management facilities, ecosystem restoration projects, annual practices, and other practices approved by the department for reducing nitrogen, phosphorus, and total suspended solids pollutants.

B. No later than October 1 of each year the permittee shall electronically report new BMPs

10. Any other information specific to the BMP type required by the DEQ BMP Warehouse (e.g., linear feet of stream restoration).

D. No later than October 1 of each year, the permittee shall electronically report the most recent inspection date for any existing BMP that was previously reported and re-inspected between July 1 and June 30 using the BMP Warehouse. If an existing BMP has not been previously reported, the BMP shall be reported as new in accordance with Part III B and Part III C. No later than October 1 of each year the DEQ BMP Warehouse shall be updated if an existing BMP is discovered between July 1 and June 30 that was not previously reported to the DEQ BMP Warehouse.

E. No later than October 1 of each year the DEQ BMP Warehouse shall be updated if an existing BMP is discovered between July 1 and June 30 that was not previously reported to the DEQ BMP Warehouse.

Part IV

Conditions Applicable to All State and VPDES Permits

NOTE: Discharge monitoring is not required for compliance purposes by this general permit. If

f. The results of such analyses.

2. The operator shall retain records of all monitoring information, including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation, copies of all reports required by this state permit, and records of all data used to complete the registration statement for this state permit, for a period of at least three years from the date of the sample, measurement, report, or request for coverage. This period of retention shall be extended automatically during the course of any unresolved litigation regarding the regulated activity or regarding control standards applicable to the operator, or as requested by the department.

C. Reporting monitoring results.

1. The operator shall submit the results of the monitoring as may be performed in accordance with this state permit with the annual report unless another reporting schedule is specified elsewhere in this state permit.

2. Monitoring results shall be reported on a discharge monitoring report (DMR); on forms provided, approved, or specified by the department; or in any format provided that the date, location, parameter, method, and result of the monitoring activity are included. Following notification from the department of the start date for the required electronic submission of monitoring reports, as provided for in 9VAC25-31-1020, such forms and reports submitted after that date shall be electronically submitted to the department in compliance with 9VAC25-31-1020 and this section. There shall be at least a three-month notice provided between the notification from the department and the date after which such forms and reports must be submitted electronically.

3. If the operator monitors any pollutant specifically addressed by this state permit more frequently than required by this state permit using test procedures approved under 40 CFR Part 136 or using other test procedures approved by the U.S. Environmental Protection Agency or using procedures specified in this state permit, the results of this monitoring shall be included in the calculation and reporting of the data submitted in the DMR or reporting form specified by the department.

4. Calculations for all limitations that require averaging of measurements shall utilize an

reports on, interim and final requirements contained in any compliance schedule of this state permit shall be submitted no later than 14 days following each schedule date.

F. Unauthorized stormwater discharges. Pursuant to § 62.1-44.5 of the Code of Virginia, except in compliance with a state permit issued by the department, it shall be unlawful to cause a stormwater discharge from a MS4.

G. Reports of unauthorized discharges. Any operator of a MS4 who discharges or causes or allows a discharge of sewage, industrial waste, other wastes or any noxious or deleterious substance or a hazardous substance or oil in an amount equal to or in excess of a reportable quantity established under either 40 CFR Part 110, 40 CFR Part 117, 40 CFR Part 302, or § 62.1-44.34:19 of the Code of Virginia that occurs during a 24-hour period into or upon surface waters or who discharges or causes or allows a discharge that may reasonably be expected to enter surface waters shall notify the department of the discharge immediately (see Part IV I 4) upon discovery of the discharge, but in no case later than within 24 hours after said discovery. A written report of the unauthorized discharge shall be submitted to the department within five days of discovery of the discharge. The written report shall contain:

1. A description of the nature and location of the discharge;
2. The cause of the discharge;
3. The date on which the discharge occurred;
4. The length of time that the discharge continued;
5. The volume of the discharge;
6. If the discharge is continuing, how long it is expected to continue;
7. If the discharge is continuing, what the expected total volume of the discharge will be; and
8. Any steps planned or taken to reduce, eliminate and prevent a recurrence of the present discharge or any future discharges not authorized by this state permit.

Discharges reportable to the department under the immediate reporting requirements of other regulations are exempted from this requirement.

H. Reports of unusual or extraordinary discharges. If any unusual or extraordinary discharge, including a bypass in Part IV U or an upset in Part IV V, should occur from a facility and the discharge enters or could be expected to enter surface waters, the operator shall promptly notify (see Part IV I 4), in no case later than within 24 hours, the department after the discovery of the discharge. This notification shall provide all available details of the incident, including any adverse effects on aquatic life and the known number of fish killed. The operator shall reduce the report to writing and shall submit it to the department within five days of discovery of the discharge in accordance with Part IV I 2. Unusual and extraordinary discharges include any discharge resulting from:

1. Unusual spillage of materials resulting directly or indirectly from processing operations;
2. Breakdown of processing or accessory equipment;

3. Failure or taking out of service some or all of the facilities; and
4. Flooding or other acts of nature.

I. Reports of noncompliance.

1. The operator shall report any noncompliance that may adversely affect surface waters or may endanger public health.

a. A report to the department shall be provided within 24 hours from the time the operator becomes aware of the circumstances. The following shall be included as information that shall be reported within 24 hours under Part IV I:

- (1) Any unanticipated bypass; and
- (2) Any upset that causes a discharge to surface waters.

b. A written report shall be submitted within five days and shall contain:

- (1) A description of the noncompliance and its cause;
- (2) The period of noncompliance, including exact dates and times, and if the noncompliance has not been corrected, the anticipated time it is expected to continue; and
- (3) Steps taken or planned to reduce, eliminate, and prevent reoccurrence of the noncompliance. The department may waive the written report on a case-by-case basis for reports of noncompliance under Part IV I if the report has been received within 24 hours and no adverse impact on surface waters has been reported.

2. The operator shall report all instances of noncompliance not reported under Part IV I 1 b, in writing, as part of the annual reports that are submitted. The reports shall contain the information listed in Part IV I 2.

3. The immediate (within 24 hours) reports required in Part IV G, H, and I shall be made to the department. Reports may be made by telephone, email, or online at <https://www.deq.virginia.gov/our-programs/pollution-response/pollution-data-and-reporting>. For reports outside normal working hours, the online portal shall be used. For emergencies, call the Virginia Department of Emergency Management's Emergency Operations Center (24-hours) at 1-800-468-8892.

4. Where the operator becomes aware of a failure to submit any relevant facts, or submittal of incorrect information in any report, including a registrations statement, to the department, the operator shall promptly submit such facts or correct information.

J. Notice of planned changes.

1. The operator shall give notice to the department as soon as possible of any planned physical alterations or additions to the permitted facility. Notice is required only when:

- a. The operator plans an alteration or addition to any building, structure, facility, or installation that may meet one of the criteria for determining whether a facility is a new source in 9VAC25-870-420.

b. The operator plans an alteration or addition that would significantly change the nature or increase the quantity of pollutants discharged. This notification applies to pollutants that are not subject to effluent limitations in this state permit; or

2. The operator shall give advance notice to the department of any planned changes in the permitted facility or activity that may result in noncompliance with state permit requirements.

K. Signatory requirements.

1. Registration statement. All registration statements shall be signed as follows:

a. For a corporation: by a responsible corporate officer. For the purpose of this chapter, a responsible corporate officer means: (i) a president, secretary, treasurer, or vice-president of the corporation in charge of a principal business function, or any other person who performs similar policy-making or decision-making functions for the corporation, or (ii) the manager of one or more manufacturing, production, or operating facilities, provided the manager is authorized to make management decisions that govern the operation of the regulated facility including having the explicit or implicit duty of making major capital investment recommendations, and initiating and directing other comprehensive measures to assure long term compliance with environmental laws and regulations; the manager can ensure that the necessary systems are established or actions taken to gather complete and accurate information for state permit application requirements; and where authority to sign documents has been assigned or delegated to the manager in accordance with corporate procedures;

b. For a partnership or sole proprietorship: by a general partner or the proprietor, respectively; or

c. For a municipality, state, federal, or other public agency: by either a principal executive officer or ranking elected official. For purposes of this chapter, a principal executive officer of a public agency includes:

(1) The chief executive officer of the agency, or

(2) A senior executive officer having responsibility for the overall operations of a principal geographic unit of the agency.

2. Reports and other information. All reports required by state permits, including annual reports, and other information requested by the department shall be signed by a person described in Part IV vthe

individual or any individual occupying a named position.); and

c. The signed and dated written authorization is submitted to the department.

3. Changes to authorization. If an authorization under Part IV K 2 is no longer accurate because a different individual or position has responsibility for the overall operation of the MS4, a new authorization satisfying the requirements of Part IV K 2 shall be submitted to the department prior to or together with any reports, or information to be signed by an authorized representative.

4. Certification. Any person signing a document under Part IV K 1 or K 2 shall make the following certification:

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

L. Duty to comply. The operator shall comply with all conditions of this state permit. Any state permit noncompliance constitutes a violation of the Virginia Stormwater Management Act and the Clean Water Act, except that noncompliance with certain provisions of this state permit may constitute a violation of the Virginia Stormwater Management Act but not the Clean Water Act. Permit noncompliance is grounds for enforcement action; for state permit termination, revocation and reissuance, or modification; or denial of a state permit renewal application.

The operator shall comply with effluent standards or prohibitions established under § 307(a) of the Clean Water Act for toxic pollutants within the time provided in the regulations that establish these standards or prohibitions or standards for sewage sludge use or disposal, even if this state permit has not yet been modified to incorporate the requirement.

M. Duty to reapply. If the operator wishes to continue an activity regulated by this state permit after the expiration date of this state permit, the operator shall submit a new registration statement at least 90 days before the expiration date of the existing state permit, unless permission for a later date has been granted by the department. The department shall not grant permission for registration statements to be submitted later than the expiration date of the existing state permit.

N. Effect of a state permit. This state permit does not convey any property rights in either real or personal property or any exclusive privileges, nor does it authorize any injury to private property or invasion of personal rights, or any infringement of federal, state or local law or regulations.

O. State law. Nothing in this state permit shall be construed to preclude the institution of any legal action under, or relieve the operator from any responsibilities, liabilities, or penalties established pursuant to any other state law or regulation or under authority preserved by § 510 of the Clean Water Act. Except as provided in state permit conditions on bypassing in Part IV U and

upset in Part IV V nothing in this state permit shall be construed to relieve the operator from civil and criminal penalties for noncompliance.

P. Oil and hazardous substance liability. Nothing in this state permit shall be construed to preclude the institution of any legal action or relieve the operator from any responsibilities, liabilities, or penalties to which the operator is or may be subject under §§ 62.1-44.34:14 through 62.1-44.34:23 of the State Water Control Law or § 311 of the Clean Water Act.

Q. Proper operation and maintenance. The operator shall at all times properly operate and maintain all facilities and systems of treatment and control (and related appurtenances), which are installed or used by the operator to achieve compliance with the conditions of this state permit. Proper operation and maintenance also includes effective plant performance, adequate funding, adequate staffing, and adequate laboratory and process controls, including appropriate quality assurance procedures. This provision requires the operation of back-up or auxiliary facilities or similar systems, which are installed by the operator only when the operation is necessary to achieve compliance with the conditions of this state permit.

R. Disposal of solids or sludges. Solids, sludges, or other pollutants removed in the course of treatment or management of pollutants shall be disposed of in a manner so as to prevent any pollutant from such materials from entering surface waters and in compliance with all applicable state and federal laws and regulations.

S. Duty to mitigate. The operator shall take all reasonable steps to minimize or prevent any discharge in violation of this state permit that has a reasonable likelihood of adversely affecting human health or the environment.

T. Need to halt or reduce activity not a defense. It shall not be a defense for an operator in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this state permit.

U. Bypass.

1. "Bypass," as defined in 9VAC25-870-10, means the intentional diversion of waste streams from any portion of a treatment facility. The operator may allow any bypass to occur that does not cause effluent limitations to be exceeded, but only if it also is for essential maintenance to ensure efficient operation. These bypasses are not subject to the provisions of Part IV U 2 and U 3.

2. Notice.

- a. Anticipated bypass. If the operator knows in advance of the need for a bypass, the operator shall submit prior notice to the department, if possible at least 10 days before the date of the bypass.

- b. Unanticipated bypass. The operator shall submit notice of an unanticipated bypass as required in Part IV I.

3. Prohibition of bypass.

- a. Except as provided in Part IV U 1, bypass is prohibited, and the department may take

enforcement action against an operator for bypass, unless:

(1) Bypass was unavoidable to prevent loss of life, personal injury, or severe property damage;

(2) There were no feasible alternatives to the bypass, such as the use of auxiliary treatment facilities, retention of untreated wastes, or maintenance during normal periods of equipment downtime. This condition is not satisfied if adequate back-up equipment should have been installed in the exercise of reasonable engineering judgment to prevent a bypass that occurred during normal periods of equipment downtime or preventive maintenance; and

(3) The operator submitted notices as required under Part IV U 2.

b. The department may approve an anticipated bypass, after considering its adverse effects, if the department determines that it will meet the three conditions listed in Part IV U 3 a.

V. Upset.

1. An "upset," as defined in 9VAC25-870-10, means an exceptional incident in which there is unintentional and temporary noncompliance with technology based state permit effluent limitations because of factors beyond the reasonable control of the operator. An upset does not include noncompliance to the extent caused by operational error, improperly designed treatment facilities, inadequate treatment facilities, lack of preventive maintenance, or careless or improper operation.

2. An upset constitutes an affirmative defense to an action brought for noncompliance with technology-based state permit effluent limitations if the requirements of Part IV V 4 are met. A determination made during administrative review of claims that noncompliance was caused by upset, and before an action for noncompliance, is not a final administrative action subject to judicial review.

3. An upset does not include noncompliance to the extent caused by operational error, improperly designed treatment facilities, inadequate treatment facilities, lack of preventive maintenance, or careless or improper operation.

4. An operator who wishes to establish the affirmative defense of upset shall demonstrate, through properly signed, contemporaneous operating logs, or other relevant evidence that:

a. An upset occurred and that the operator can identify the causes of the upset;

b. The permitted facility was at the time being properly operated;

c. The operator submitted notice of the upset as required in Part IV I; and

d. The operator complied with any remedial measures required under Part IV S.

5. In any enforcement proceeding the operator seeking to establish the occurrence of an upset has the burden of proof.

W. Inspection and entry. The operator shall allow the department, EPA, or an authorized

representative (including an authorized contractor), upon presentation of credentials and other

the application of such provision to other circumstances, and the remainder of this state permit, shall not be affected thereby.

Uvcvwwqt{"Cwvjqtkv{

§62.1-44.15:28 of the Code of Virginia.

Jkuvqtkecn"Pqvgu

Former 4VA C50-60-1240, derived from Virginia Register Volume 21, Issue 3, eff. January 29, 2005; amended, Virginia Register Volume 24, Issue 20, eff. July 9, 2008; Volume 29, Issue 4, eff. November 21, 2012; Volume 29, Issue 17, eff. July 1, 2013; amended and renumbered, Virginia Register Volume 30, Issue 2, eff. October 23, 2013; amended, Virginia Register Volume 35, Issue 2, eff. November 1, 2018; Volume 40, Issue 3, eff. November 1, 2023; Volume 40, Issue 4, eff. October 9, 2023.